CP-LSC-T50L5C-GP

5MP Full Color Guard+ Bullet Camera - 50 Mtr.

- 1/2.5" 5MP PS CMOS Image Sensor (1.016 centimeters)
- Max. 5MP (2592 x 1944)@20/12.5fps
- DWDR, Day/Night, 2D DNR, AWB, AGC
- Support Built-in Mic
- 3.6mm Fixed Lens
- Warm Light Range of 50 Mtr., IP67
- Support OSD Menu

| 5MP | Built-in Mic | Day & Night | DWDR | IP67 |

System Overview

With the help of the new Guard+ Series of Cameras by CP PLUS, surveillance at night has substantially been made easier as vividly colorful images can be captured even in a completely dark scene. The leading part in this highly efficient surveillance solution is played by the 2.4MP Full-Color Network Cameras that show the detailing in the varied colors of the object in the scene even during night time.

Functions

Full Color

The Full-Color technology that has been ingrained in this camera lets you enjoy an image in full-color even during night time as this technology automatically illuminates the image with the accurate detailing of colors from the scene .

CE FC RoHS COMPLIANT ONVIF

CP-LSC-T50L5C-GP
5MP Full Color Guard+ Bullet Camera - 50 Mtr.

Functions

OSD Menu Support

CP PLUS HD analog cameras come with their own menu using which the camera settings can be managed, for instance, the signal type can be changed and other sensor level adjustments be made.

True Day/Night

When the scene is too dark, the image is captured by illuminating an infrared light through the camera onto the scene that greatly helps with making the scene visible for the lens. It delivers color images during the day and automatically switches to the monochrome feature as the scene darkens.

IP67

The camera passes a series of strict test on dust and soak. It has dust-proof function, and the enclosure can works normal after soaking in 1 m deep water for 30 minutes

About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.

CP-LSC-T50L5C-GP
5MP Full Color Guard+ Bullet Camera - 50 Mtr.

Feature	Specification
Image Sensor	1/2.5" 5MP PS CMOS Image Sensor (1.016 centimeters)
Minimum Illumination	Color : 0.03 lux@F2.0, 0 Lux with white light
Effective Pixels	5MP (2592 x 1944)
White Balance	Auto/ Manual
Lens	3.6mm Fixed Lens
Lens Type	Fixed Lens
Gain Control(AGC)	Auto
Back Light Compensation	DWDR
Resolution	5M (2592 x 1944), 4MP (2560 x 1440), 2M (1920 x 1080)
Electronic Shutter	Auto
Noise Reduction	2D DNR
Video format	AHD: 5M@20fps/12.5fps, 4M@30fps/25fps/15fps, 2M@30fps/25fps; TVI: 5M@20fps/12.5fps,4M@30fps/25fps/15fps, 2M@30fps/25fps; CVI: 4M/2M@30fps/25fps;CVBS
UTC	Support
White LED Number	Warm light LED: 42μ x 2PCS
Warm Light	Warm Light Range of 50 Mtr.
TV System	PAL/NTSC
Day/Night	Color
OSD Menu	Support
Audio	Built-In Mic, AOC-TVI only
Focus Control	Fixed
Operating Temperature	-10°C ~ +60°C
Operating Humidity	<95% (RH), non-condensing
Weatherproof Standard	IP67
Power Source	DC12V±10%, 450mA

CP PLUS

Feature	Specification
Storage Temperature	-20°C ~ +60°C
Storage Humidity	<95% (RH), non-condensing
Dimension	176.6 mm x 67 mm x 70 mm
Casing	Front Cover: Metal, Back Cover: Plastic
Weight	0.336 Kg

Company Name:

CP PLUS (Aditya Infotech Ltd.)

F-28 Okhla Industrial Area, Phase 1,

New Delhi 110020, INDIA

Contact Mail ID :- customercare@cpplusworld.com

CE FC RoHS COMPLIANT ONVIF

*Product casing and specifications are subject to change without prior notice